

Knoxville, TN, 37932, US

Certificate of Analysis

Kaycha Labs

Sportsgel 1000mg N/A Matrix: Derivative



Sample:KN10203007-001 Harvest/Lot ID: N/A Seed to Sale #N/A Batch Date :N/A Batch#: NRB-SG01 Sample Size Received: 60 ml Retail Product Size: 60 Ordered : 02/02/21 Sampled : 02/02/21 Completed: 02/05/21 Expires: 02/05/22 Sampling Method: SOP Client Method




MISC.

Feb 05, 2021 | HKH Industries LLC. 320 Huntsville Industrial Dr.

Huntsville, TN, 37756, US

PRODUCT IMAGE SAFETY RESULTS



113 0.211g NA Analysis Method -Expanded Measurement of Uncertainty: Flower Matrix d9-THC:12.7% THCa: 9.5%, TOTAL THC 11. 1%. These uncertainties represent an expanded uncertain expressed at approximately the 95% confidence level using a coverage factor k=2 for merced distribution. Reviewed On -02/05/21 15:00:25 Batch Date : 02/04/21 13:04:52

Analytical Batch -KN000369POT Instrument Used : HPLC E-SHI-008 Reagent Dilution Consums, ID

40 0029887

120320.R02 020221.R02 020221.R02 Full spectrum cannabinoid analysis utilizing High Performance Liqu Sensitivity Method SOP.T.40.020 for analysis.). *Based on FL action (HPLC-UV), (Me SOP T 30 050 fo and Shimadzu High

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit Of Quantitation (LQQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson Lab Director

State License # n/a ISO Accreditation # 17025:2017



Signature

02/05/2021

Signed On